Pain 100 (2002) 303–304

PAIN

www.elsevier.nl/locate/pain

# Author Index to Volume 100 (2002)

Aanonsen, L., see Groth, R., **100** 171
Allchorne, A., see Decosterd, I., **100** 155
Alloui, A., see Tarrerias, A.L., **100** 91
Andrews, K.A. Desai, D., Dhillon, H.K., Wilcox, D.T., Fitzgerald, M., Abdominal sensitivity in the first year of life: comparison of infants with and without prenatally diagnosed unilateral hydronephrosis, **100** 35
Ardid, D., see Tarrerias, A.L., **100** 91
Arendt-Nielsen, L., see Polianskis, R., **100** 19

Beaughard, C., see Tarrerias, A.L., **100** 91
Bell, G.J., see Sullivan, M.J.L., **100** 47
Biasi, G., see Carli, G., **100** 259
Bommelaer, G., see Tarrerias, A.L., **100** 91
Bourdu, S., see Tarrerias, A.L., **100** 91
Bowes, M., see Walker, K., **100** 219
Bragdon, E.E., see Costello, N.L., **100** 99
Brailoiu, G.C., see Ohsawa, M., **100** 27
Brecker, C., see Eisenberg, E., **100** 299
Brennan, T.J., see Zahn, P.K., **100** 65
Bruehl, S. Chung, O.Y., Ward, P., Johnson, B., McCubbin, J.A., The relationship between resting blood pressure and acute pain sensitivity in healthy normotensives and chronic back pain sufferers: the effects of opioid blockade, **100** 191
Bunting, S., see Costello, N.L., **100** 99

Carli, G., Suman, A.L., Biasi, G., Marcolongo, R., Reactivity to superficial and deep stimuli in patients with chronic musculoskeletal pain, **100** 259
Chan, O., see Walker, K., **100** 219
Chandran, P., see Sluka, K.A., **100** 183
Chung, O.Y., see Bruehl, S., **100** 191
Costello, N.L. Bragdon, E.E., Light, K.C., Sigurdsson, A., Bunting, S., Grewen, K., Maixner, W., Temporomandibular disorder and optimism: relationships to ischemic pain sensitivity and interleukin-6, **100** 99
Croft, P., see Jinks, C., **100** 55
Crombez, G., see Van Damme, S., **100** 111

Dapoigny, M., see Tarrerias, A.L., **100** 91
de Jong, A.J.L., see Evers, A.W.M., **100** 141
Decosterd, I. Allchorne, A., Woolf, C.J., Progressive tactile hypersensitivity after a peripheral nerve crush: non-noxious mechanical stimulus-induced neuropathic pain, **100** 155
DeLeo, J.A., see Sweitzer, S.M., **100** 163
Desai, D., see Andrews, K.A., **100** 35
DeVivo, M.J., see Putzke, J.D., **100** 231
Dhillon, H.K., see Andrews, K.A., **100** 35
Dogrul, A. Gardell, L.R., Ma, S., Ossipov, M.H., Porreca, F., Lai, J., 'Knock-down' of spinal CB1 receptors produces abnormal pain and elevates spinal dynorphin content in mice, **100** 203
Dubner, R., see Ren, K., **100** 1
Dun, N.J., see Ohsawa, M., **100** 27

Eccleston, C., see Van Damme, S., **100** 111
Edwards, C., Keefe, F., New directions in research on pain and ethnicity: a comment on Riley, Wade, Myers, Sheffield, Pappas, and Price (2002), **100** 211
Eisenberg, E., Brecker, C., Lumbar spinal cord stimulation for cervical-originated central pain: a case report, **100** 299
Eschalier, A., see Tarrerias, A.L., **100** 91
Evers, A.W.M. Kraaimaat, F.W., van Riel, P.L.C.M., de Jong, A.J.L., Tailored cognitive-behavioral therapy in early rheumatoid arthritis for patients at risk: a randomized controlled trial, **100** 141

Fitzgerald, M., see Andrews, K.A., **100** 35
Fox, A.J., see Walker, K., **100** 219
Fraser, S.N., see Sullivan, M.J.L., **100** 47
Fujinaga, M., see Ohashi, Y., **100** 7

Gardell, L.R., Ossipov, M.H., Vanderah, T.W., Lai, J., Porreca, F., Dynorphin-independent spinal cannabinoid antinociception, **100** 243
Gardell, L.R., see Dogrul, A., **100** 203
Gevirtz, R.N., see Nicassio, P.M., **100** 271
Gilbert, G.H., see Riley III, J.L., **100** 119
Glatt, M., see Walker, K., **100** 219
Graven-Nielsen, T., see Polianskis, R., **100** 19
Green, J., see Walker, K., **100** 219
Grewen, K., see Costello, N.L., **100** 99
Groth, R. Aanonsen, L., Spinal brain-derived neurotrophic factor (BDNF) produces hyperalgesia in normal mice while antisense directed against either BDNF or trkB, prevent inflammation-induced hyperalgesia, **100** 171

Hashimoto, T., see Ohashi, Y., **100** 7
Heft, M.W., see Riley III, J.L., **100** 119
Hicken, B.L., see Putzke, J.D., **100** 231
Hickey, W.F., see Sweitzer, S.M., **100** 163

Janal, M.N., see Raphael, K.G., **100** 131
Jinks, C. Jordan, K., Croft, P., Measuring the population impact of knee pain and disability with the Western Ontario and McMaster Universities Osteoarthritis Index (WOMAC), **100** 55
Johnson, B., see Bruehl, S., **100** 191
Jordan, K., see Jinks, C., **100** 55

Kaltenhäuser, M., see Maihöfner, C., **100** 281
Kawamata, M. Takahashi, T., Kozuka, Y., Nawa, Y., Nishikawa, K., Narimatsu, E., Watanabe, H., Namiki, A., Experimental incision-induced pain in human skin: effects of systemic lidocaine on flare formation and hyperalgesia, **100** 77
Keefe, F., see Edwards, C., **100** 211
Kemeny, J.L., see Tarrerias, A.L., **100** 91
Kesingland, A., see Walker, K., **100** 219
Kidd, B.L., see Walker, K., **100** 219
Kozuka, Y., see Kawamata, M., **100** 77
Kraaimaat, F.W., see Evers, A.W.M., **100** 141

Lai, J., see Dogrul, A., **100** 203
Lai, J., see Gardell, L.R., **100** 243

PII: S0304-3959(02)00425-6

Lang, E., see Maihöfner, C., **100** 281
Light, K.C., see Costello, N.L., **100** 99

Ma, S., see Dogrul, A., **100** 203
Maihöfner, C., Kaltenhäuser, M., Neundörfer, B., Lang, E., Temporo-spatial analysis of cortical activation by phasic innocuous and noxious cold stimuli – a magnetoencephalographic study, **100** 281
Maixner, W., see Costello, N.L., **100** 99
Mao, J., Opioid-induced abnormal pain sensitivity: implications in clinical opioid therapy, **100** 213
Marcolongo, R., see Carli, G., **100** 259
Maze, M., see Ohashi, Y., **100** 7
McCubbin, J.A., see Bruehl, S., **100** 191
McNair, K., see Walker, K., **100** 219
Medhurst, S.J., see Walker, K., **100** 219
Millecamps, M., see Tarrerias, A.L., **100** 91
Moxham, E.G., see Nicassio, P.M., **100** 271
Murray, T.C., see Sullivan, M.J.L., **100** 47
Myers, C.D., see Riley III, J.L., **100** 291

Namiki, A., see Kawamata, M., **100** 77
Narimatsu, E., see Kawamata, M., **100** 77
Natelson, B.H., see Raphael, K.G., **100** 131
Nawa, Y., see Kawamata, M., **100** 77
Nayak, S., see Raphael, K.G., **100** 131
Nelson, L.E., see Ohashi, Y., **100** 7
Neundörfer, B., see Maihöfner, C., **100** 281
Nicassio, P.M., Moxham, E.G., Schuman, C.E., Gevirtz, R.N., The contribution of pain, reported sleep quality, and depressive symptoms to fatigue in fibromyalgia, **100** 271
Nishikawa, K., see Kawamata, M., **100** 77

Ohashi, Y. Stowell, J.M., Nelson, L.E., Hashimoto, T., Maze, M., Fujinaga, M., Nitrous oxide exerts age-dependent antinociceptive effects in Fischer rats, **100** 7
Ohsawa, M. Brailoiu, G.C., Shiraki, M., Dun, N.J., Paul, K., Tseng, L.F., Modulation of nociceptive transmission by pituitary adenylate cyclase activating polypeptide in the spinal cord of the mouse, **100** 27
Ossipov, M.H., see Dogrul, A., **100** 203
Ossipov, M.H., see Gardell, L.R., **100** 243

Pahl, J.L., see Sweitzer, S.M., **100** 163
Papas, R.K., see Riley III, J.L., **100** 291
Patel, S., see Walker, K., **100** 219
Paul, K., see Ohsawa, M., **100** 27
Polianskis, R. Graven-Nielsen, T., Arendt-Nielsen, L., Spatial and temporal aspects of deep tissue pain assessed by cuff algometry, **100** 19
Porreca, F., see Dogrul, A., **100** 203
Porreca, F., see Gardell, L.R., **100** 243
Price, D.D., see Riley III, J.L., **100** 291
Putzke, J.D., Richards, J.S., Hicken, B.L., DeVivo, M.J., Interference due to pain following spinal cord injury: important predictors and impact on quality of life, **100** 231

Raphael, K.G. Natelson, B.H., Janal, M.N., Nayak, S., A community-based survey of fibromyalgia-like pain complaints following the World Trade Center terrorist attacks, **100** 131
Ren, K. Dubner, R., Descending modulation in persistent pain: an update, **100** 1
Richards, J.S., see Putzke, J.D., **100** 231
Riley III, J.L. Gilbert, G.H., Heft, M.W., Race/ethnic differences in health care use for orofacial pain among older adults, **100** 119
Riley III, J.L., Wade, J.B., Myers, C.D., Sheffield, D., Papas, R.K., Price, D.D., Racial/ethnic differences in the experience of chronic pain, **100** 291
Rodgers, W.M., see Sullivan, M.J.L., **100** 47
Rutkowski, M.D., see Sweitzer, S.M., **100** 163

Schuman, C.E., see Nicassio, P.M., **100** 271
Sheffield, D., see Riley III, J.L., **100** 291
Shiraki, M., see Ohsawa, M., **100** 27
Sigurdsson, A., see Costello, N.L., **100** 99
Sluka, K.A. Chandran, P., Enhanced reduction in hyperalgesia by combined administration of clonidine and TENS, **100** 183
Sluka, K.A., see Zahn, P.K., **100** 65
Stowell, J.M., see Ohashi, Y., **100** 7
Sullivan, M.J.L. Rodgers, W.M., Wilson, P.M., Bell, G.J., Murray, T.C., Fraser, S.N., An experimental investigation of the relation between catastrophizing and activity intolerance, **100** 47
Suman, A.L., see Carli, G., **100** 259
Suter, P.B., Employment and litigation: improved by work, assisted by verdict, **100** 249
Sweitzer, S.M. Hickey, W.F., Rutkowski, M.D., Pahl, J.L., DeLeo, J.A., Focal peripheral nerve injury induces leukocyte trafficking into the central nervous system: potential relationship to neuropathic pain, **100** 163

Takahashi, T., see Kawamata, M., **100** 77
Tarrerias, A.L. Millecamps, M., Alloui, A., Beaughard, C., Kemeny, J.L., Bourdu, S., Bommelaer, G., Eschalier, A., Dapoigny, M., Ardid, D., Short-chain fatty acid enemas fail to decrease colonic hypersensitivity and inflammation in TNBS-induced colonic inflammation in rats, **100** 91
Tseng, L.F., see Ohsawa, M., **100** 27

Urban, L.A., see Walker, K., **100** 219

Van Damme, S. Crombez, G., Eccleston, C., Retarded disengagement from pain cues: the effects of pain catastrophizing and pain expectancy, **100** 111
van Riel, P.L.C.M., see Evers, A.W.M., **100** 141
Vanderah, T.W., see Gardell, L.R., **100** 243

Wade, J.B., see Riley III, J.L., **100** 291
Walker, K., Medhurst, S.J., Kidd, B.L., Glatt, M., Bowes, M., Patel, S., McNair, K., Kesingland, A., Green, J., Chan, O., Fox, A.J., Urban, L.A., Disease modifying and anti-nociceptive effects of the bisphosphonate, zoledronic acid in a model of bone cancer pain, **100** 219
Ward, P., see Bruehl, S., **100** 191
Watanabe, H., see Kawamata, M., **100** 77
Wilcox, D.T., see Andrews, K.A., **100** 35
Wilson, P.M., see Sullivan, M.J.L., **100** 47
Woolf, C.J., see Decosterd, I., **100** 155

Zahn, P.K. Sluka, K.A., Brennan, T.J., Excitatory amino acid release in the spinal cord caused by plantar incision in the rat, **100** 65

Pain 100 (2002) 305–308

PAIN

www.elsevier.nl/locate/pain

# Subject index Volume 100 (2002)

Abnormal pain
'Knock-down' of spinal CB1 receptors produces abnormal pain and elevates spinal dynorphin content in mice, **100** 203
Abdominal skin reflex
Abdominal sensitivity in the first year of life: comparison of infants with and without prenatally diagnosed unilateral hydronephrosis, **100** 35
Activity
An experimental investigation of the relation between catastrophizing and activity intolerance, **100** 47
Acute pain
The relationship between resting blood pressure and acute pain sensitivity in healthy normotensives and chronic back pain sufferers: the effects of opioid blockade, **100** 191
Adrenergic
Enhanced reduction in hyperalgesia by combined administration of clonidine and TENS, **100** 183
Allodynia
Lumbar spinal cord stimulation for cervical-originated central pain: a case report, **100** 301
Amino acids
Excitatory amino acid release in the spinal cord caused by plantar incision in the rat, **100** 65
Animal model
Progressive tactile hypersensitivity after a peripheral nerve crush: non-noxious mechanical stimulus-induced neuropathic pain, **100** 155
Antinociceptive effect
Nitrous oxide exerts age-dependent antinociceptive effects in Fischer rats, **100** 7
Antisense
'Knock-down' of spinal CB1 receptors produces abnormal pain and elevates spinal dynorphin content in mice, **100** 203
Antisense oligodeoxynucleotide
Spinal brain-derived neurotrophic factor (BDNF) produces hyperalgesia in normal mice while antisense directed against either BDNF or trkB, prevent inflammation-induced hyperalgesia, **100** 171
Attention
Retarded disengagement from pain cues: the effects of pain catastrophizing and pain expectancy, **100** 111
Back pain
Employment and litigation: improved by work, assisted by verdict, **100** 249
Bisphosphonates
Disease modifying and anti-nociceptive effects of the bisphosphonate, zoledronic acid in a model of bone cancer pain, **100** 219
Blood pressure
The relationship between resting blood pressure and acute pain sensitivity in healthy normotensives and chronic back pain sufferers: the effects of opioid blockade, **100** 191
Bone
Disease modifying and anti-nociceptive effects of the bisphosphonate, zoledronic acid in a model of bone cancer pain, **100** 219
Brain-derived neurotrophic factor
Spinal brain-derived neurotrophic factor (BDNF) produces hyperalgesia in normal mice while antisense directed against either BDNF or trkB, prevent inflammation-induced hyperalgesia, **100** 171
Cancer
Disease modifying and anti-nociceptive effects of the bisphosphonate, zoledronic acid in a model of bone cancer pain, **100** 219
Cannabinoid agonists
Dynorphin-independent spinal cannabinoid antinociception, **100** 243
Catastrophizing
An experimental investigation of the relation between catastrophizing and activity intolerance, **100** 47
Catastrophizing
Retarded disengagement from pain cues: the effects of pain catastrophizing and pain expectancy, **100** 111
Chronic pain
Tailored cognitive-behavioral therapy in early rheumatoid arthritis for patients at risk: a randomized controlled trial, **100** 141
The relationship between resting blood pressure and acute pain sensitivity in healthy normotensives and chronic back pain sufferers: the effects of opioid blockade, **100** 191
Cognitive-behavioral therapy
Tailored cognitive-behavioral therapy in early rheumatoid arthritis for patients at risk: a randomized controlled trial, **100** 141
Cold
Temporo-spatial analysis of cortical activation by phasic innocuous and noxious cold stimuli – a magnetoencephalographic study, **100** 281
Colonic hypersensitivity and inflammation
Short-chain fatty acid enemas fail to decrease colonic hypersensitivity and inflammation in TNBS-induced colonic inflammation in rats, **100** 91
Community survey
A community-based survey of fibromyalgia-like pain complaints following the World Trade Center terrorist attacks, **100** 131
Covariation bias
Retarded disengagement from pain cues: the effects of pain catastrophizing and pain expectancy, **100** 111
Cuff
Spatial and temporal aspects of deep tissue pain assessed by cuff algometry, **100** 19
Depression
A community-based survey of fibromyalgia-like pain complaints following the World Trade Center terrorist attacks, **100** 131
The contribution of pain, reported sleep quality, and depressive symptoms to fatigue in fibromyalgia, **100** 271
Development
Abdominal sensitivity in the first year of life: comparison of infants with and without prenatally diagnosed unilateral hydronephrosis, **100** 35
Disability
Measuring the population impact of knee pain and disability with the Western Ontario and McMaster Universities Osteoarthritis Index (WOMAC), **100** 55
Disengagement
Retarded disengagement from pain cues: the effects of pain catastrophizing and pain expectancy, **100** 111

PII: S0304-3959(02)00426-8

Dorsal columns
Lumbar spinal cord stimulation for cervical-originated central pain: a case report, **100** 301
Dynorphin
Dynorphin-independent spinal cannabinoid antinociception, **100** 243
Electrical stimuli
Enhanced reduction in hyperalgesia by combined administration of clonidine and TENS, **100** 183
Emotions
Racial/ethnic differences in the experience of chronic pain, **100** 293
Employment
Employment and litigation: improved by work, assisted by verdict, **100** 249
Endogenous opioids
The relationship between resting blood pressure and acute pain sensitivity in healthy normotensives and chronic back pain sufferers: the effects of opioid blockade, **100** 191
Epidemiology
Measuring the population impact of knee pain and disability with the Western Ontario and McMaster Universities Osteoarthritis Index (WOMAC), **100** 55
Ethnic differences
Racial/ethnic differences in the experience of chronic pain, **100** 293
EthnicityRace/ethnic differences in health care use for orofacial pain among older adults, **100** 119
Exercise
An experimental investigation of the relation between catastrophizing and activity intolerance, **100** 47
Experimental pain
Retarded disengagement from pain cues: the effects of pain catastrophizing and pain expectancy, **100** 111
Fatigue
The contribution of pain, reported sleep quality, and depressive symptoms to fatigue in fibromyalgia, **100** 271
Fear
Retarded disengagement from pain cues: the effects of pain catastrophizing and pain expectancy, **100** 111
Fibromyalgia
A community-based survey of fibromyalgia-like pain complaints following the World Trade Center terrorist attacks, **100** 131
Reactivity to superficial and deep stimuli in patients with chronic musculoskeletal pain, **100** 259
The contribution of pain, reported sleep quality, and depressive symptoms to fatigue in fibromyalgia, **100** 271
Flare
Experimental incision-induced pain in human skin: effects of systemic lidocaine on flare formation and hyperalgesia, **100** 77
Forearm ischemic pain
Temporomandibular disorder and optimism: relationships to ischemic pain sensitivity and interleukin-6, **100** 99
Formalin test
Nitrous oxide exerts age-dependent antinociceptive effects in Fischer rats, **100** 7
Formalin-induced nocifension
Modulation of nociceptive transmission by pituitary adenylate cyclase activating polypeptide in the spinal cord of the mouse, **100** 27
Freeze-pain
Temporo-spatial analysis of cortical activation by phasic innocuous and noxious cold stimuli – a magnetoencephalographic study, **100** 281
Health care utilization
Race/ethnic differences in health care use for orofacial pain among older adults, **100** 119
Human
Experimental incision-induced pain in human skin: effects of systemic lidocaine on flare formation and hyperalgesia, **100** 77
Hyperalgesia
Experimental incision-induced pain in human skin: effects of systemic lidocaine on flare formation and hyperalgesia, **100** 77
Reactivity to superficial and deep stimuli in patients with chronic musculoskeletal pain, **100** 259
Spinal brain-derived neurotrophic factor (BDNF) produces hyperalgesia in normal mice while antisense directed against either BDNF or trkB, prevent inflammation-induced hyperalgesia, **100** 171
Incision
Experimental incision-induced pain in human skin: effects of systemic lidocaine on flare formation and hyperalgesia, **100** 77
Incisional pain
Excitatory amino acid release in the spinal cord caused by plantar incision in the rat, **100** 65
Infant
Abdominal sensitivity in the first year of life: comparison of infants with and without prenatally diagnosed unilateral hydronephrosis, **100** 35
Interleukin-6
Temporomandibular disorder and optimism: relationships to ischemic pain sensitivity and interleukin-6, **100** 99
Irritable bowel disease
Short-chain fatty acid enemas fail to decrease colonic hypersensitivity and inflammation in TNBS-induced colonic inflammation in rats, **100** 91
Jurisprudence
Employment and litigation: improved by work, assisted by verdict, **100** 249
Knee pain
Measuring the population impact of knee pain and disability with the Western Ontario and McMaster Universities Osteoarthritis Index (WOMAC), **100** 55
Knest
Measuring the population impact of knee pain and disability with the Western Ontario and McMaster Universities Osteoarthritis Index (WOMAC), **100** 55
Knock-down
'Knock-down' of spinal CB1 receptors produces abnormal pain and elevates spinal dynorphin content in mice, **100** 203
Life satisfaction
Interference due to pain following spinal cord injury: important predictors and impact on quality of life, **100** 231
Local anesthetics
Experimental incision-induced pain in human skin: effects of systemic lidocaine on flare formation and hyperalgesia, **100** 77
Macrophage
Focal peripheral nerve injury induces leukocyte trafficking into the central nervous system: potential relationship to neuropathic pain, **100** 163
Magnetic resonance imaging
Lumbar spinal cord stimulation for cervical-originated central pain: a case report, **100** 301
Magnetoencephalography
Temporo-spatial analysis of cortical activation by phasic innocuous and noxious cold stimuli – a magnetoencephalographic study, **100** 281
Major histocompatibility complex
Focal peripheral nerve injury induces leukocyte trafficking into the central nervous system: potential relationship to neuropathic pain, **100** 163
Meningioma
Lumbar spinal cord stimulation for cervical-originated central pain: a case report, **100** 301
Microdialysis
Excitatory amino acid release in the spinal cord caused by plantar incision in the rat, **100** 65
Nerve crush
Progressive tactile hypersensitivity after a peripheral nerve crush: non-noxious mechanical stimulus-induced neuropathic pain, **100** 155

Nerve injury
Progressive tactile hypersensitivity after a peripheral nerve crush: non-noxious mechanical stimulus-induced neuropathic pain, **100** 155
Neuropathic pain
Focal peripheral nerve injury induces leukocyte trafficking into the central nervous system: potential relationship to neuropathic pain, **100** 163
Progressive tactile hypersensitivity after a peripheral nerve crush: non-noxious mechanical stimulus-induced neuropathic pain, **100** 155
Newborn
Nitrous oxide exerts age-dependent antinociceptive effects in Fischer rats, **100** 7
Nitrous oxide
Nitrous oxide exerts age-dependent antinociceptive effects in Fischer rats, **100** 7
*N*-methyl-D-aspartate-induced nociception
Modulation of nociceptive transmission by pituitary adenylate cyclase activating polypeptide in the spinal cord of the mouse, **100** 27
*N*-methyl-D-aspartate receptor
Spinal brain-derived neurotrophic factor (BDNF) produces hyperalgesia in normal mice while antisense directed against either BDNF or trkB, prevent inflammation-induced hyperalgesia, **100** 171
Nociception
Spinal brain-derived neurotrophic factor (BDNF) produces hyperalgesia in normal mice while antisense directed against either BDNF or trkB, prevent inflammation-induced hyperalgesia, **100** 171
Noradrenaline
Enhanced reduction in hyperalgesia by combined administration of clonidine and TENS, **100** 183
Norepinephrine
Temporomandibular disorder and optimism: relationships to ischemic pain sensitivity and interleukin-6, **100** 99
Older adults
Race/ethnic differences in health care use for orofacial pain among older adults, **100** 119
Optimism
Temporomandibular disorder and optimism: relationships to ischemic pain sensitivity and interleukin-6, **100** 99
Orofacial pain
Race/ethnic differences in health care use for orofacial pain among older adults, **100** 119
Pain
An experimental investigation of the relation between catastrophizing and activity intolerance, **100** 47
Disease modifying and anti-nociceptive effects of the bisphosphonate, zoledronic acid in a model of bone cancer pain, **100** 219
Enhanced reduction in hyperalgesia by combined administration of clonidine and TENS, **100** 183
Interference due to pain following spinal cord injury: important predictors and impact on quality of life, **100** 231
Racial/ethnic differences in the experience of chronic pain, **100** 293
Temporo-spatial analysis of cortical activation by phasic innocuous and noxious cold stimuli – a magnetoencephalographic study, **100** 281
The contribution of pain, reported sleep quality, and depressive symptoms to fatigue in fibromyalgia, **100** 271
The relationship between resting blood pressure and acute pain sensitivity in healthy normotensives and chronic back pain sufferers: the effects of opioid blockade, **100** 191
Pain behavior
Racial/ethnic differences in the experience of chronic pain, **100** 293
Pain extent
Reactivity to superficial and deep stimuli in patients with chronic musculoskeletal pain, **100** 259
Pain sensitivity
Reactivity to superficial and deep stimuli in patients with chronic musculoskeletal pain, **100** 259
Pituitary adenylate cyclase activating polypeptide
Modulation of nociceptive transmission by pituitary adenylate cyclase activating polypeptide in the spinal cord of the mouse, **100** 27
Plasticity
Spinal brain-derived neurotrophic factor (BDNF) produces hyperalgesia in normal mice while antisense directed against either BDNF or trkB, prevent inflammation-induced hyperalgesia, **100** 171
Postal survey
Measuring the population impact of knee pain and disability with the Western Ontario and McMaster Universities Osteoarthritis Index (WOMAC), **100** 55
Post-operative
Experimental incision-induced pain in human skin: effects of systemic lidocaine on flare formation and hyperalgesia, **100** 77
Pressure algometry
Spatial and temporal aspects of deep tissue pain assessed by cuff algometry, **100** 19
Quality of life
Interference due to pain following spinal cord injury: important predictors and impact on quality of life, **100** 231
Quantitative sensory testing
Reactivity to superficial and deep stimuli in patients with chronic musculoskeletal pain, **100** 259
Race
Race/ethnic differences in health care use for orofacial pain among older adults, **100** 119
Racial/ethnic differences in the experience of chronic pain, **100** 293
Rats
Short-chain fatty acid enemas fail to decrease colonic hypersensitivity and inflammation in TNBS-induced colonic inflammation in rats, **100** 91
Recent onset
Tailored cognitive-behavioral therapy in early rheumatoid arthritis for patients at risk: a randomized controlled trial, **100** 141
Referred visceral hypersensitivity
Abdominal sensitivity in the first year of life: comparison of infants with and without prenatally diagnosed unilateral hydronephrosis, **100** 35
Rheumatoid arthritis
Tailored cognitive-behavioral therapy in early rheumatoid arthritis for patients at risk: a randomized controlled trial, **100** 141
Risk profile
Tailored cognitive-behavioral therapy in early rheumatoid arthritis for patients at risk: a randomized controlled trial, **100** 141
Sex
Race/ethnic differences in health care use for orofacial pain among older adults, **100** 119
Short-chain fatty acids
Short-chain fatty acid enemas fail to decrease colonic hypersensitivity and inflammation in TNBS-induced colonic inflammation in rats, **100** 91
Sleep Quality
The contribution of pain, reported sleep quality, and depressive symptoms to fatigue in fibromyalgia, **100** 271
Somatosensory evoked magnetic fields
Temporo-spatial analysis of cortical activation by phasic innocuous and noxious cold stimuli – a magnetoencephalographic study, **100** 281
Spatial summation
Spatial and temporal aspects of deep tissue pain assessed by cuff algometry, **100** 19
Spinal antinociception
Dynorphin-independent spinal cannabinoid antinociception, **100** 243
Spinal cannabinoid receptors
'Knock-down' of spinal CB1 receptors produces abnormal pain and elevates spinal dynorphin content in mice, **100** 203
Spinal cord
Spinal brain-derived neurotrophic factor (BDNF) produces hyperalgesia in normal mice while antisense directed against either BDNF or trkB, prevent inflammation-induced hyperalgesia, **100** 171

Spinal cord injury
Interference due to pain following spinal cord injury: important predictors and impact on quality of life, **100** 231
Spinal dynorphin
'Knock-down' of spinal CB1 receptors produces abnormal pain and elevates spinal dynorphin content in mice, **100** 203
Spinal hyperalgesia
Modulation of nociceptive transmission by pituitary adenylate cyclase activating polypeptide in the spinal cord of the mouse, **100** 27
Stimulus–response function
Spatial and temporal aspects of deep tissue pain assessed by cuff algometry, **100** 19
Stress
A community-based survey of fibromyalgia-like pain complaints following the World Trade Center terrorist attacks, **100** 131
Temporomandibular disorder and optimism: relationships to ischemic pain sensitivity and interleukin-6, **100** 99
Tactile hypersensitivity
Progressive tactile hypersensitivity after a peripheral nerve crush: non-noxious mechanical stimulus-induced neuropathic pain, **100** 155
Tailor-made
Tailored cognitive-behavioral therapy in early rheumatoid arthritis for patients at risk: a randomized controlled trial, **100** 141
Temporal summation
Spatial and temporal aspects of deep tissue pain assessed by cuff algometry, **100** 19
Temporomandibular disorders
Temporomandibular disorder and optimism: relationships to ischemic pain sensitivity and interleukin-6, **100** 99
Tender points
Reactivity to superficial and deep stimuli in patients with chronic musculoskeletal pain, **100** 259
T-lymphocyte
Focal peripheral nerve injury induces leukocyte trafficking into the central nervous system: potential relationship to neuropathic pain, **100** 163
Trinitrobenzene sulfonic acid-induced colitis
Short-chain fatty acid enemas fail to decrease colonic hypersensitivity and inflammation in TNBS-induced colonic inflammation in rats, **100** 91
Western Ontario and McMaster Universities Osteoarthritis Index
Measuring the population impact of knee pain and disability with the Western Ontario and McMaster Universities Osteoarthritis Index (WOMAC), **100** 55
Workers' compensation
Employment and litigation: improved by work, assisted by verdict, **100** 249
World Trade Center terrorist attacks
A community-based survey of fibromyalgia-like pain complaints following the World Trade Center terrorist attacks, **100** 131
Zoledronic acid
Disease modifying and anti-nociceptive effects of the bisphosphonate, zoledronic acid in a model of bone cancer pain, **100** 219